

B4  
Amel

Ex.	Active compound	Conc. in ppm	Efficacy in % of the untreated control
2c	Compound II.79	1 0.25	55 55
4c	Compound I.a (common name: fenpropimorph)	0.25	55
5c	Compound I.b (common name: fenpropidin)	0.25	55
6c	Compound I.c (common name: tridemorph)	1 0.25	0 0

Table 2:

Ex.	Mixture according to the invention (conc. in ppm)	Observed efficacy	Calculated efficacy*
7	0.25 ppm Ia + 0.25 ppm II.79	96	80
8	1 ppm Ic + 1 ppm II.79	85	55
9	0.25 ppm Ic + 0.25 ppm II.79	90	55
10	0.25 ppm Ib + 0.25 ppm II.79	93	80

\* calculated using Colby's formula

# IN THE CLAIMS

B5  
2. (amended) A fungicidal mixture as defined in claim 1, where in the compounds II, R<sup>1</sup> is C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkylene-C<sub>3</sub>-C<sub>7</sub>-cycloalkyl.

3. (amended) A fungicidal mixture as defined in claim 1, where in the compounds II, R<sup>2</sup> is phenyl, thienyl, pyrazolyl, pyrrolyl, imidazolyl, thiazolyl, furyl, pyridazinyl or pyrimidinyl, and these radicals may be substituted by halogen, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-alkyl.

4. (amended) A fungicidal mixture as defined in claim 1, where in the compounds

II, R<sup>3</sup> or R<sup>4</sup> are hydrogen, fluorine, chlorine, methyl, ethyl, methoxy, thiomethyl or N-methylamino.

5. (amended) A fungicidal mixture as defined in claim 1, where in the compounds II, X<sup>1</sup> is halo-C<sub>1</sub>-C<sub>6</sub>-alkyl, halo-C<sub>1</sub>-C<sub>6</sub>-alkoxy or halogen.

6. (amended) A fungicidal mixture as defined in claim 1, where in the compounds II, X<sup>2</sup> or X<sup>3</sup> are hydrogen or halogen.

7. (amended) A fungicidal mixture as defined in claim 1, where in the compounds II, X<sup>4</sup> is hydrogen, chlorine, fluorine, methoxy, ethoxy, trifluoromethyl or trifluoromethoxy.

8. (amended) A fungicidal mixture as defined in claim 1, where in the compounds II, X<sup>5</sup> is hydrogen, chlorine, fluorine, methoxy, ethoxy, trifluoromethyl or trifluoromethoxy.

9. (amended) A fungicidal mixture as defined in claim 1, which is conditioned in two parts, where one part comprises one or more compounds I in a solid or liquid carrier and the other part comprises one or more compounds of the formula II in a solid or liquid carrier.

10. (amended) A method for controlling harmful fungi, which comprises treating the fungi, their habitat or the materials, plants, seeds, soils, areas or spaces to be protected against fungal attack with a fungicidal mixture as defined in claim 1, where the compounds I and one or more compounds of the formulae II can be applied simultaneously, that is either together or separately, or successively.

---

Add new claim 11, as follows:

11. (new) A fungicidal mixture as defined in claim 1, wherein in the compound of the formula II, R<sup>1</sup> is methylenecyclopropyl, X<sup>2</sup> is 5-F, X<sup>3</sup>, X<sup>4</sup> and X<sup>5</sup> are each H, R<sup>2</sup> is C<sub>6</sub>H<sub>5</sub>-CH<sub>2</sub> and R<sup>3</sup> and R<sup>4</sup> are each H.

---